überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity [ELITE FORCE] Heavy Gas 150PSI 560ml (No Silicone)

Alternate Names 2.5065

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name UMAREX GmbH & Co. KG

Donnerfeld 2, 59757 Arnsberg, Germany

Telephone +49 (0)2932 / 638-01

Fax +49 (0)2932 / 638-XX

E-mail service@umarex.de

1.4. Emergency telephone number

Emergency phone # +49 (0)2932 / 638-01

Section 2. Hazard identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable Gas 1 H220 Extremely flammable gas.

Gases under pressure H280 Contains gas under pressure; may explode if heated

2.2. Label elements

According to Regulation (EC) No 1272/2008



Danger

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary Statements - Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautionary Statements - Response:

P377 Leaking gas fire - do not extinguish unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

Precautionary Statements - Storage:



überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

P403+235 Store in a well ventilated place. Keep cool.

P410+403 Protect from sunlight. Store in a well-ventilated place.

Precautionary Statements - Disposal:

No CLP disposal statements.

See Technical Data Sheet.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

May displace oxygen and cause rapid suffocation.

Section 3. Composition/information on ingredients

3.2. Mixtures

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008 [CLP/GHS] (as amended by (EU) 2015/830), they are listed below.

Ingredient/Chemical Designations		Weight %	EC No. 1272/2008 Classification*
Propane			
CAS Number:	74-98-6	75 100	Flam. Gas 1;H220
EC No.	200-827-9	75 - 100	Press. Gas;H280
Index No.:	601-003-00-5		

^{*}The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate medical

attention. Give nothing by mouth.

Eye Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek

medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized

skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Treat symptomatically. See section 2 for further details.

4.3. Indication of any immediate medical attention and special treatment needed

überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Dioxide, Carbon Monoxide

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from firefighting to enter drains or water ways.

Put on appropriate personal protective equipment (see section 8).

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Small Spill: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Large Spill: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for late disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No available information



überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Section 8. Exposure controls/personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
74-98-6	Propane	OSHA	TWA 1000 ppm (1800 mg/m³)
		ACGIH	Ensure Minimal Oxygen Content (ACGIH appendix F)
		NIOSH	TWA 1000 ppm (1800 mg/m³)

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Overalls which cover the body, arms and legs should be worn. Skin should not be

exposed. All parts of the body should be washed after contact. Protective gloves

recommended.

Engineering Provide adequate ventilation. Where reasonably practicable this should be achieved by

Controls the use of local exhaust ventilation and good general extraction. If these are not sufficient

to maintain concentrations of particulates and any vapor below occupational exposure

limits suitable respiratory protection must be worn.

Other Work Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

Practices using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Transparent Liquid

Odor Odorless

Odor threshold

PH

No available information

No available information

Melting point / freezing point

No available information

Initial boiling point and boiling range -42°C/-44°F

Flash Point -105°C/-157°F / Test method: closed cup

Evaporation rate (Ether = 1) No available information

Flammability (solid, gas) Gas

Upper/lower flammability or explosive limits Lower Explosive Limit: 1.9%

Upper Explosive Limit: 9.5%

 Vapor pressure
 853 kPa (21°C)

 Vapor Density (Air=1)
 1.5 (15.56°C)

Relative density 0.504 (15.56°C/60°F)



überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Solubility in Water insoluble

Partition coefficient n-octanol/water (Log Kow) No available information

Auto-ignition temperature 450°C/842°F

Decomposition temperature

No available information

Viscosity (cSt)

No available information

9.2. Other information

No other relevant information.

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Thermal decomposition can give off carbon monoxide (CO) and carbon dioxide(CO₂).

Section 11. Toxicological information

11.1. Information on toxicological effects

Product

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Classification	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation		Not Applicable
Serious eye		Not Applicable
damage/irritation		
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable



überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Reproductive toxicity		Not Applicable
STOT-single exposure	_	Not Applicable
STOT-repeated exposure	-	Not Applicable
Aspiration hazard	-	Not Applicable

Components

Acute toxicity

Component	Oral LD50,	Skin LD50,	Inhalation	Inhalation	Inhalation
	mg/kg	mg/kg	Vapor LC50,	Dust/Mist LC50,	Gas LC50,
			mg/L/4hr	mg/L/4hr	ppm
Propane - (74-98-	No data	No data	658.00, Rat -	No data	No data
6)	available	available	Category: NA	available	available

Carcinogen Data

CAS No.	Component	Source	Value		
74-98-6	Propane	OSHA	Regulated Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group		
			3: No; Group 4: No		

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Component	96 hr LC50 fish, 48 hr EC50 crustacea,		ErC50 algae,	3 hr IC50 Bacteria,
	mg/L	mg/L	mg/L	mg/L
Propane - (74-98-6)	Not Available	Not Available	Not Available	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID (Land	IMDG (Sea	ICAO-TI/IATA-DGR	ADN (Inland	
	transport)	Transportation)	(Air transport)	waterway transport)	
14.1. UN	1950	1950	1950	1950	
number	1930	1930	1930	1930	
14.2. UN	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable	Aerosols, flammable	
proper		No. 11 of the Control of Control			
shipping	(each not exceeding 1	(each not exceeding 1	(each not exceeding 1	(each not exceeding 1	
name	L capacity)	L capacity)	L capacity)	L capacity)	
14.3.					
Transport	2.1	2.1	2.1	2.1	
hazard	2.1	2.1	2.1	2.1	
class(es)					
14.4. Packing	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
group	Not Applicable	Not Applicable	Not Applicable	Not Applicable	
14.5.					
Environmental	Not Applicable	Marine Pollutant: No	Not Applicable	Not Applicable	
hazards					

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU Legislation

REGULATION (EU) 2015/830 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

US federal regulations

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt from listing on the TSCA Inventory.

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA (311/312) REPORTABLE GHS HAZARD CLASSES: Flammable (gases, aerosols, liquids, or solids),

Gas under Pressure, Simple Asphyxiant

überarbeitet 15.12.2020 (D) Version 5.8 Airsoft Gas

SARA (313) TOXIC RELEASE INVENTORY: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

National Legislation

None noted.

Taiwan (R.O.C) Legislation

Occupational Safety and Health Act, Toxic and Concerned Chemical Substances Control Act, Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace, Regulations for the Labeling and Hazard Communication of Hazardous Chemicals, Regulations Governing Designating and Handling of Priority Management Chemicals, Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste, Establishment Standard and Safety Control Regulation for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders

The full text of the phrases appearing in section 3 is:

H280 Contains gas under pressure; may explode if heated.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

End of Document