

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Identity **【ELITE FORCE】 Heavy Gas 150PSI 560ml**

Alternate Names 2.5064

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name UMAREX GmbH & Co. KG
Donnerfeld 2, 59757 Arnsberg, Germany

Telephone +49 (0)2932 / 638-01

Fax +49 (0)2932 / 638-XX

E-mail service@umarex.de

1.4. Emergency telephone number

Emergency phone # +49 (0)2932 / 638-01

Section 2. Hazard identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable Gas 1 H220 Extremely flammable gas.

Gases under pressure H280 Contains gas under pressure; may explode if heated

2.2. Label elements

According to Regulation (EC) No 1272/2008



Danger

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Precautionary Statements - Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautionary Statements - Response:

P377 Leaking gas fire - do not extinguish unless leak can be stopped safely.

P381 Eliminate all ignition sources if safe to do so.

Precautionary Statements - Storage:

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

P403+235 Store in a well ventilated place. Keep cool.

P410+403 Protect from sunlight. Store in a well-ventilated place.

Precautionary Statements - Disposal:

No CLP disposal statements.

See Technical Data Sheet.

2.3. Other hazards

This product contains no PBT/vPvB chemicals.

May displace oxygen and cause rapid suffocation.

Section 3. Composition/information on ingredients**3.2. Mixtures**

If the product contains substances that present a hazard according to Regulation (EC) No. 1272/2008

[CLP/GHS] (as amended by (EU) 2015/830), they are listed below.

Ingredient/Chemical Designations	Weight %	EC No. 1272/2008 Classification*
Propane CAS Number: 74-98-6 EC No. 200-827-9 Index No.: 601-003-00-5	75 - 100	Flam. Gas 1;H220 Press. Gas;H280
Dimethylsiloxane CAS Number: 63148-62-9 EC No. 203-492-7 Index No.: --	1 - 5	Not Classified

*The full texts of the phrases are shown in Section 16.

Section 4. First aid measures**4.1. Description of first aid measures**

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eye	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

4.2. Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Treat symptomatically. See section 2 for further details.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician Treat symptomatically.

Section 5. Fire-fighting measures**5.1. Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Dioxide, Carbon Monoxide

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from firefighting to enter drains or water ways.

Put on appropriate personal protective equipment (see section 8).

Section 6. Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Small Spill: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Large Spill: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for late disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.

Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon Dioxide, Carbon Monoxide

Keep away from heat / sparks / open flames / hot surfaces - No smoking.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from firefighting to enter drains or water ways.

Put on appropriate personal protective equipment (see section 8).

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Small Spill: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Large Spill: Flush spill area with water spray. Prevent runoff from entering drains, sewers, or streams. Dike for late disposal.

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

Exposure

CAS No.	Ingredient	Source	Value
74-98-6	Propane	OSHA	TWA 1000 ppm (1800 mg/m ³)
		ACGIH	Ensure Minimal Oxygen Content (ACGIH appendix F)
		NIOSH	TWA 1000 ppm (1800 mg/m ³)
63148-62-9	Dimethylsiloxane	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

8.2. Exposure controls

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Protective safety glasses recommended
Skin	Overalls which cover the body, arms and legs should be worn. Skin should not be exposed. All parts of the body should be washed after contact. Protective gloves recommended.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Transparent Liquid
Odor	Odorless
Odor threshold	No available information
pH	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	-42°C/-44°F
Flash Point	-105°C/157°F / Test method: closed cup
Evaporation rate (Ether = 1)	No available information
Flammability (solid, gas)	Gas
Upper/lower flammability or explosive limits	Lower Explosive Limit: 1.9% Upper Explosive Limit: 9.5%
Vapor pressure	853 kPa (21°C)
Vapor Density (Air=1)	1.5 (15.56°C)
Relative density	0.504 (15.56°C/60°F)
Solubility in Water	insoluble
Partition coefficient n-octanol/water (Log Kow)	No available information
Auto-ignition temperature	450°C/842°F
Decomposition temperature	No available information
Viscosity (cSt)	No available information

9.2. Other information

No other relevant information.

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Thermal decomposition can give off carbon monoxide (CO) and carbon dioxide(CO₂).

Section 11. Toxicological information

11.1. Information on toxicological effects

Product

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

	Classification	Hazard Description
Acute toxicity (oral)	--	Not Applicable
Acute toxicity (dermal)	--	Not Applicable
Acute toxicity (inhalation)	--	Not Applicable
Skin corrosion/irritation	--	Not Applicable
Serious eye damage/irritation	--	Not Applicable
Respiratory sensitization	--	Not Applicable
Skin sensitization	--	Not Applicable
Germ cell mutagenicity	--	Not Applicable
Carcinogenicity	--	Not Applicable
Reproductive toxicity	--	Not Applicable
STOT-single exposure	--	Not Applicable
STOT-repeated exposure	--	Not Applicable
Aspiration hazard	--	Not Applicable

Components

Acute toxicity

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

Component	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Propane - (74-98-6)	No data available	No data available	658.00, Rat - Category: NA	No data available	No data available
Dimethylsiloxane - (63148-62-9)	17,000.00, Rat - Category: NA	>2,000.00, Rabbit - Category: 5	No data available	No data available	No data available

Carcinogen Data

CAS No.	Component	Source	Value
74-98-6	Propane	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No
63148-62-9	Dimethylsiloxane	OSHA	Regulated Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No

Section 12. Ecological information
12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Component	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L	3 hr IC50 Bacteria, mg/L
Propane - (74-98-6)	Not Available	Not Available	Not Available	Not Available
Dimethylsiloxane - (63148-62-9)	>2,000.00, Fish	>2,000.00, Daphnia magna	>2,000.00 (72 hr), Algae	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

Section 13. Disposal considerations
13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	ADR/RID (Land transport)	IMDG (Sea Transportation)	ICAO-TI/IATA-DGR (Air transport)	ADN (Inland waterway transport)
14.1. UN number	1950	1950	1950	1950
14.2. UN proper shipping name	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable (each not exceeding 1 L capacity)	Aerosols, flammable (each not exceeding 1 L capacity)
14.3. Transport hazard class(es)	2.1	2.1	2.1	2.1
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards	Not Applicable	Marine Pollutant: No	Not Applicable	Not Applicable

14.6. Special precautions for user

No further information

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Applicable

Section 15. Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Legislation

REGULATION (EU) 2015/830 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

US federal regulations

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA): All components of this material are either listed or exempt from listing on the TSCA Inventory.

SICHERHEITSDATENBLATT

überarbeitet 15.12.2020 (D) Version 5.8
Airsoft Gas

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA (311/312) REPORTABLE GHS HAZARD CLASSES: Flammable (gases, aerosols, liquids, or solids),
Gas under Pressure, Simple Asphyxiant

SARA (313) TOXIC RELEASE INVENTORY: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

National Legislation

None noted.

Taiwan (R.O.C) Legislation

Occupational Safety and Health Act, Toxic and Concerned Chemical Substances Control Act, Standards of Permissible Exposure Limits of Airborne Hazardous Substances in Workplace, Regulations for the Labeling and Hazard Communication of Hazardous Chemicals, Regulations Governing Designating and Handling of Priority Management Chemicals, Methods and Facilities Standards for the Storage, Clearance and Disposal of Industrial Waste, Establishment Standard and Safety Control Regulation for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places.

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

Section 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

End of Document